Furry Vest





Furry Vest



Yarn

Durable Furry (100% polyester) 50 grams/35m Size S: Color 422 Sesame: 8 balls Size M: Color 2182 Ochre: 10 balls Size L: Color 2149 Dark olive: 12 balls

Knitting Needles and/ or Crochet Hook

Knitting needles 8 mm or size needed to achieve gauge

and crochet hook 7 mm

Other materials

Tapestry needle, scissors, large-eyed wool needle

Stitches Used and Abbreviations

k knitp purlst(s) stitch(es)ch chain

sc single crochet



Gauge

Knit 8 stitches and 13 rows to measure 10 x 10 cm using 8 mm knitting needles.

Difficulty

Beginner

Size

	S	М	L
Total width back in cm	50	55	60
Total Length in cm	70	71	72

Pattern Information and Tips

The pattern is available in 3 sizes: Size S, M, L. The number of stitches for size M and L is indicated in parentheses. Due to the weight and length, the garment may stretch slightly during hanging or wearing.

First, knit the back panel. For the two front panels, knit fewer rows than for the back panel. Measure the length of the front panel before casting off to ensure it matches for you. The front panels should be the same length as the back panel.

Pattern

Back Panel

Row 1: Cast on 40 (42, 44) stitches using 8mm knitting needles. K all sts

Row 2: P all sts Row 3: K all sts

Repeat rows 2 and 3 until you have knitted 88 (89, 90) rows, then cast off the sts

Front Panel (2x)

Row 1: Cast on 20 (21, 22) stitches using 8mm knitting needles. K all sts

Row 2: P all sts Row 3: K all sts

Repeat rows 2 and 3 until you have knitted 86 (87, 88) rows, then cast off the stitches. (Measure before casting off to ensure the length matches that of the back panel).

You can find sales information and more details about this project at durableyarn.com

Furry Vest



Finishing

Sew the side seams together, leaving approx. 22 (23, 24) cm open for the armholes.

Sew the shoulder seams together.

Weave in all loose ends.

Belt

Row 1: Work 101 (111,121) chains using a 7mm crochet hook. Work 100 (110, 120) sc, ch1, turn.

Row 2-3: 100 (110, 120) sc, ch1, turn.

Fasten off and weave in the ends.

